

Overview

Avision AD230 Document Scanner

Avision

Part no. AV3343



Price

A\$ 595 (incl. GST)

A\$ 540.91 (excl. GST)

Availability: Call

Part no. AV3343
% A\$649.00* (8.32% saved)

Prices incl. VAT plus shipping costs

Description

The AD230 is a 40 page-per-minute, duplex scanner with the ability to accommodate document width of up to 14" (356mm) and extended document width from standard 8.5" to 14". The AD230 is fast and reliable.

Ideal for businesses where scanning plastic ID cards, business cards, documents or other heavy card stock is necessary. Scan size accepts paper from receipts (50 x 50 mm/2" x 2") to business document (216 x 356 mm/8.5" x 14").

The AD230 combines both, reverse roller and advanced paper feeding technologies. The auto document feeder is also robust enough to feed paper up to 413 g/m² (110 lbs) and embossed hard cards such as ID cards, credit cards and driver's license of up to 1.25mm in thickness. The AD230 document scanner, balances fast speed with exceptional reliability across a wide variety of scanning situations.

Main features: 40ppm (80ipm), 80p ADF, A4+, True Duplex, USB2, very versatile paper handling, full speed colour, for Windows, 1 year warranty RTB

Product information

Model No.:	AD230
ADF Capacity (pages):	80
ADF Scan Area - Max.:	216x356 mm
ADF Scan Area - Min.:	50x50 mm
Duplex or Simplex:	True Duplex
ADF Speed (ppm):	40
ADF Speed Duplex (ipm):	80
ADF Paper Path:	Straight
Paper Weight:	27 to 413 gsm
Colour Modes:	B&W, Greyscale, Colour
Scanning Technology:	CCD x 2
Interface:	USB2
Resolution (dpi, optical):	600
Light Source:	LED
File Formats:	Text Searchable PDF, TIFF, JPEG, BMP
Software Standards:	TWAIN, ISIS drivers
Imaging Features:	Deskewing, sharpening, auto-crop, blank page removal, page separation, dynamic thresholding, noise removal, auto colour detection (speed drops to 40ppm)
In the Box:	Button Manager, AVScan, Paperport SE, USB cable
PC Configuration:	Minimum: 4GB RAM, USB2
Supported OS:	WINDOWS 7, 8, 10
Dimensions:	316x191x168 mm

Weight:	4
Electrical:	Input: 100-240 VAC, 50/60 Hz. Power consumption:
Operating Environment:	10°C to 35°C, 15-76%RH
Warranty:	12 months parts & labour warranty
ADF (Doc. Feeder):	Yes
Video:	
Duty Cycle:	★ ★ ★

Reviews

0 of 0 reviews



No reviews found. Be the first to share your insights.