

Overview

Avision AD260 Document Scanner

Avision

Part no. AV3299



Description

The AD260 delivers duplex scanning speeds of up to 140 images per minute in color, greyscale, and monochrome. Using reverse rollers for deploying document separation, the AD260 balances high performance with exceptional feeding reliability across a wide variety of scanning situations.

The AD260 supports documents with a width up to 242mm (9.5") which is a unique and innovative design in comparison with its predecessors. The extended document width from standard 216 mm (8.5") to 242 mm (9.5") makes the AD260 more competitive to fit for a wider range of documents. With straight paper path and image processing technology, mixed batches of documents of varied sizes and weights can be scanned, appropriately cropped and deskewed.

The Avison AD260 accepts paper from receipts 50 x 50 mm (2" x 2") to business documents of 242 x 356 mm (9.5" x 14"). The auto document feeder is also robust enough to feed paper up to 413 g/m² (110 lbs) as well as embossed hard cards such as ID cards, credit cards, driver's license, and health insurance card up to 1.25 mm in thickness.

Main characteristics: 70ppm (140ipm), 100p ADF, A4, True Duplex, USB3, for Windows (Mac optional), 1 year warranty RTB

Product information

Model No.:	AD260
ADF Capacity (pages):	100
ADF Scan Area - Max.:	216x356 mm
ADF Scan Area - Min.:	50x50 mm
Duplex or Simplex:	True Duplex
ADF Speed (ppm):	70
ADF Speed Duplex (ipm):	140
ADF Paper Path:	Straight
Paper Weight:	27g to 413 gsm
Colour Modes:	B&W, Greyscale, Colour
Scanning Technology:	CCD x 2
Interface:	USB3
Resolution (dpi, optical):	600
Light Source:	LED
File Formats:	Text Searchable PDF, TIFF, JPEG, GIF, BMP
Software Standards:	TWAIN, ISIS drivers
Imaging Features:	Deskewing, sharpening, auto-crop, blank page removal, page separation, dynamic thresholding, noise removal, auto colour detection
In the Box:	Button Manager, AVScan, PaperPort SE, USB cable
PC Configuration:	Minimum: 2GB RAM, USB2. Recommended: 4 GB RAM, USB2
Supported OS:	WINDOWS XP, VISTA, Win 7, Win 8 (MAC OS X optional)
Dimensions:	Min: 316x187x163 mm, Max: 316x605x272 mm

Weight:	4.5
Electrical:	Operation:
Operating Environment:	10°C to 35°C, 10-85%RH
Warranty:	12 months parts & labour warranty
ADF (Doc. Feeder):	Yes
Video:	
Duty Cycle:	★ ★ ★ ★

Reviews

0 of 0 reviews



No reviews found. Be the first to share your insights.